3/

Notice of Allowability	Application No.	Applicant(s)
	10/558,710	MORIYA ET AL.
	Examiner	Art Unit
	Joseph Lauture	2819
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIP of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. $igtiises$ This communication is responsive to $\underline{correspondence\ filed}$	<u>11/29/2005</u> .	
2. The allowed claim(s) is/are <u>1-21</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No.	 •
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	IENT of this application.	A CANCEL
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 		
5. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deposition of the sheet of the sheet of the deposition of the d	son's Patent Drawing Review (PTO s Amendment / Comment or in the drawing the header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL I	Office action of ngs in the front (not the back) of (d). must be submitted. Note the
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGIC	CAL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	_5. ☐ Notice of Informal F	Patent Application
 Notice of Draftperson's Patent Drawing Review (PTO-948) ✓ Information Disclosure Statements (PTO/SB/08), 	6.	(P10-413), te
Paper No./Mail Date <u>22706</u> 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stateme	

Application/Control Number: 10/558,710

Art Unit: 2819

Allowable Subject Matter ---

Page 2

Claims 1-21 are allowable.

The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach a lossless coding apparatus and method for a signal in a floating-point format, the method comprising inter alia separating a first input signal in the floating-point format into an integer value and an error, and losslessly compression-coding the integer value and the error using a first coding means; losslessly compression-coding the first input signal in the floating-point format using a second coding-means; producing a difference in the floating-point format that corresponds to the difference between a signal in the integer format and the first signal in the floating-point format; and, determining which of the first coding means and the second coding means provides a higher compression efficiency; selecting the coding means that provides the higher efficiency, and, producing an auxiliary code carrying information about the selection result.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Citation Of Related Prior Art

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Public in Control with the Harassay by aselican

Yfantis (US 6,633,679) teaches a lossless encoding/decoding apparatus/method.

Page 3

Application/Control Number: 10/558,710

Art Unit: 2819

CONTACT INFORMATION

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph Lauture, whose telephone number is (571) 272-1805. The examiner can normally be reached Monday to Friday between 9:30 am and 6:00 PM

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rexford Barnie can be reached at (571) 272-7492. The fax number for the organization to which this application is assigned is (571) 273-

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pairdirect.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free). For assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

C. Len hitomichen frantieval (PAR) system

- First 4 Product , Financia year have questions en access to the fi

Art Unit: 2819 Date: 11/24/2006